



PATENT  
H0003451

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Sewa S. SANDHU et al.  
Serial No.: 10/014,135  
Filed: December 13, 2001  
For: Cable Assembly And Air Outflow  
Valve Incorporating The Same

Group Art Unit: Unknown  
Examiner: Unknown

Assistant Commissioner for Patents  
Office of Initial Patent Examination  
Customer Service Center  
Washington, D.C. 20231


**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

Dear Sir:

In timely response to the Notice to File Corrected Application Papers ("Notice") dated January 25, 2002, which provided two months in which to respond, Applicant encloses one copy each of: (1) formal drawings (8 sheets) and (2) a copy of the Notice. Applicant submits that the formal drawings meet the minimum requirements of 37 C.F.R. § 1.84, and respectfully requests that the drawings be entered in the application.

DATE: 3/25/02

Respectfully submitted,

  
PAUL D. AMROZOWICZ  
Attorney for Applicant  
Reg. No. 45,264

HONEYWELL INTERNATIONAL, INC.  
Law Dept. AB2  
P.O. Box 2245  
Morristown, New Jersey 07962  
Customer No.: 0003451



03ee

## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/014,135	12/13/2001	Sewa S. Sandhu	H0003451

CONFIRMATION NO. 6634

000128  
HONEYWELL INTERNATIONAL INC  
101 COLUMBIA ROAD  
P O BOX 2245  
MORRISTOWN, NJ 07962-2245

## FORMALITIES LETTER



\*OC000000007368890\*

Date Mailed: 01/25/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
  - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE